

SAFETY DATA SHEET

SUPERIOR No. 76

DATE REVISED: June 23, 2017

Product Name/Part Number: Superior No. 76

Manufacturer: Superior Flux & Mfg. Co. 6615 Parkland Blvd. Cleveland OH, 44139

Emergency Phone Number: 1-800-424-9300 (CHEMTREC)

Other Information Calls: (440) 349-3000

SECTION 1 -- IDENTIFICATION

Common Name: Superior No. 76

Chemical Family: Soft soldering flux

CAS Number: N/A

Chemical Name: N/A

Formula: See Section 3

SECTION 2 – HAZARDS IDENTIFICATION

GHS Classification:

Acute toxicity, Oral (Category 4) H302
Skin corrosion (Category 1B) H314
Serious eye damage (Category 1) H318
Acute aquatic toxicity (Category 1) H400
Chronic aquatic toxicity (Category 1) H410

Label Elements



Pictogram(s):

Signal Word: Danger

See section XVI for full text description of H-Statements

Hazard Statement(s)

H302 Harmful if swallowed
H314 Causes severe skin burns and eye damage
H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s)

P260 Do not breathe mist or fumes
P264 Wash skin thoroughly after handling
P270 Do not eat, drink or smoke when using this product
P273 Avoid release to the environment
P280 Wear protective gloves, protective clothing, eye protection
P301+P312+P330 IF SWALLOWED: Call a POISON CENTER if you feel unwell. Rinse mouth
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
P304+P340+P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor
P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call doctor
P363 Wash contaminated clothing before reuse.
P391 Collect spillage
P405 Store locked up
P501 Dispose of contents and/or container to an approved waste disposal plant

Hazards not otherwise classified or not covered by GHS: None

SECTION 3 – COMPOSITION INFORMATION

Components	CAS Number	%
Zinc Chloride	7646-85-7	20-25
Ammonium Chloride	12125-02-9	0-10

None of the materials in this product are listed in NTP, IARC, or OSHA as carcinogens.

SECTION 4 – FIRST AID MEASURES

Description of first aid measures

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Inhalation: Remove to fresh air.

Eyes: Flush with water for fifteen (15) Minutes. Remove contacts if present and easy to do so. Call physician.

Skin: Wash thoroughly with soap and water.

Ingestion: Rinse mouth with water. Never give anything by mouth to an unconscious person. Consult a physician immediately

Most Important Symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2 (labeling)

Medical Conditions Generally Aggravated by Exposure: Any weakness of the lungs, kidneys or liver may be aggravated.

OSHA Permissible Exposure Limit (PEL): 1 mg/m³

ACGIH Threshold Limit Value (TLV): 1 mg/m³

SECTION 5 – FIREFIGHTING MEASURES

Extinguishing Media: Dry chemical, carbon dioxide foam

Special Hazards: No data available

Flash Point: 282°C/540°F

Advice for firefighters: Wear self-contained breathing apparatus for firefighting if necessary

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment: Use personal protective equipment.

See section 8 for personal protection.

Environmental Precautions: Prevent further leakage or spillage if safe to do so.

In Case Material is spilled: Pick up and arrange disposal. Sweep up and shovel. Keep in suitable, closed containers for disposal. Flush remaining material with plenty of water.

SECTION 7 - HANDLING AND STORAGE

Storage Requirements: Store in plastic containers in cool area, away from heat

Handling Precautions: Avoid contact with skin and eyes. Provide appropriate and adequate ventilation for or fumes when using this product.

For precautions see Section 2

SECTION 8 - CONTROL MEASURES

Respiratory Protection: For nuisance exposures use type P95 (US) respirator. For higher level protection use type OV/AG/P99 respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Ventilation: Yes **Mechanical (General):** Explosion proof **Local Exhaust:** Yes

Protective Gloves: Yes – Nitrile rubber. Use equipment tested and approved under NIOSH standards.

Eye Protection: Safety glasses conforming to EN166. Use equipment tested and approved under NIOSH standards.

Other Protective Clothing or Equipment: Rubber apron recommended.

These recommendations are advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of the anticipated use. It should not be construed as offering an approval for any specific use scenario.

SECTION 9 - PHYSICAL AND CHEMICAL CHARACTERISTICS

Appearance:	Paste, yellow
Odor	Mild
pH	Not applicable
Melting/Freezing Point:	No data available
Boiling Point/Range:	337°C/639°F
Flash Point:	282°C/540°F
Evaporation Rate:	Not applicable
Flammability (solid/gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Relative Density	1.6 (Water = 1)
Bulk Density	No data available
Water Solubility	Insoluble
Partition coefficient: n-octanol/water	No data available
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No data available
Oxidizing Properties	No data available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: No data available

Stability: Product is stable under recommended storage conditions

Possibility of hazardous reactions: No data available

Conditions to Avoid: Excessive heat, excessive cold, metals

Incompatibility: Alkalines, strong oxidizing or reducing materials, cyanides or combustible materials.

Hazardous Decomposition Products Hydrochloric acid, zinc chloride, ammonium

In the event of fire: See Section 5

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity Data

- 1) **Oral:** LD-50 (rat): Not available
- 2) **Inhalation:** LC-50 (rat): Not available
- 3) **Dermal:** LD-50 (rabbit): Not available
- 4) **Skin Irritation:** (rabbit): Not available

Chronic Toxicity Data

- 1) **Repeated Skin Application:** (rat): Not available
 - 2) **Eye Irritation:** (rabbit): Not available
-

SECTION 12 - ECOLOGICAL INFORMATION

This material has not been tested for environmental effects.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material

SECTION 14- TRANSPORTATION

D.O.T. Proper Shipping Name: Non-hazardous

Identification Number: NA

Hazard Class: NA

Type D.O.T Label Required Information: NA

Packing Group: NA

SECTION 15 - REGULATORY INFORMATION

OSHA Hazardous Chemical According to 29 CFR 1910.1200: None

Carcinogenicity Classification (Components Present at 0.1% or More): Non-carcinogenic

International Agency for Research on Cancer (IARC): Not listed

American Conference of Governmental Industrial Hygienists (ACGIH): Not listed

National Toxicology Program (NTP): Not listed

Occupational Safety and Health Administration (OSHA): Not listed

None of the components of this product are listed on the U.S. toxic substances control act inventory or otherwise comply with TSCA pre-manufacture notification requirements.

SECTION 16 - OTHER INFORMATION

Full text of H-Statements and P-Statements referred to in Section II and/or III.

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

HMIS Rating

Health 2

Flammability 1

Reactivity 1

Further information:

Judgments as to the suitability of information herein or the purchaser's purposes are necessarily the purchaser's responsibility. The above information does not represent any guarantee of the properties of the product. It is believed to be correct, but does not purport to be all inclusive and should be used only as a guide. Reasonable care has been taken in the preparation of this material, and is based on the present state of our knowledge.

Superior Flux & Mfg. Co. shall not be held liable for any damage resulting from handling or from contact with the above product.

Preparation information

Superior Flux & Mfg. Co.

440-349-3000

Version 2.1

Revision Date: 06/22/2017
