

SAFETY DATA SHEET

ANTI-BORAX STABLEWELD

DATE REVISED: January 1, 2016

Product Name: Anti-Borax Stableweld

Manufacturer: Superior Flux & Mfg. Co. 6615 Parkland Blvd. Cleveland OH, 44139

Emergency Phone Number: 1-800-424-9300 (CHEMTREC)

Other Information Calls: (440) 349-3000

To the Purchaser: This MSDS contains important environmental, health, and toxicology information for your employees who have ordered this product. Please be sure this information is given to them. If you resell this product, a copy of the MSDS should be given to the buyer.

H.M.I.S. INFORMATION: HEALTH = 1 FLAMMABILITY = 0 REACTIVITY = 1

SECTION I -- IDENTIFICATION

Common Name: Anti-Borax Stableweld

Chemical Family: Forge Borax Compound Flux

CAS Number: NA

Chemical Name: NA

Formula: See Below

SECTION II – HAZARDS IDENTIFICATION

Classification of Substance or Mixture:

Classification (CLP): NA

Label Elements (CLP): NA

Signal Word: Danger



Irritant Health hazard

Risk Phrases: R62, R25, R36/37/38, R60/61

Safety Phrases: S-26, S-27, S-36/37/39, S-45

See section XVI for full text description of S and R phrases

Other Hazards: None if used properly

SECTION III- COMPOSITION INFORMATION

Components	CAS Number	%	OSHA PEL	H Phrases
Anhydrous Borax	1330-43-4	90-99	1 mg/m ³	H319, H361
Steel Chips	1309-37-1	35-45	10 mg/m ³	NA
Boric Acid	10043-35-3	10-30	10 mg/m ³	H303, H360
Slag	FEO-FE203-FE304	45-55	10 mg/m ³	NA
Silica	14808-60-7	8-12	10 mg/m ³	H320, H335, H350, H373

None of the materials in this product are listed in NTP, IARC, or OSHA as carcinogens.

SECTION IV – FIRST AID MEASURES

Inhalation: Remove to fresh air
Eyes: Flush with water for fifteen (15) Minutes. Call physician.
Skin: Wash thoroughly with soap and water.
Ingestion: If patient is fully conscious, give large amounts of water. Obtain medical attention immediately.

Most Important Symptoms and effects, both acute and delayed

Primary Routes of Entry into Body: Fume inhalation, ingestion, skin, and eyes.

Symptoms of Overexposure: Salivation, coughing, choking, chills, may cause weight loss, brittle bones, anemia, and stiff joints.

Medical Conditions Generally Aggravated by Exposure: Any weakness of the lungs, kidneys or liver will be aggravated.

Chemical Listed as Carcinogen or Potential Carcinogen: None

OSHA Permissible Exposure Limit (PEL): 10 mg/m³

ACGIH Threshold Limit Value (TLV): 10 mg/m³

SECTION V - FIRE AND EXPLOSION HAZARD DATA

Flash Point: None

Flammable Limits: Lower-NA upper-NA

Extinguishing Media: Not needed

Auto Ignition Temperature: None

Special Fire Fighting Procedures: Normal caution when dealing with chemicals

Unusual Fire and Explosion Hazards: Boric oxide fumes

SECTION VI - ACCIDENTAL RELEASE MEASURES

Steps to be taken in Case Material is spilled: Clean up powder and flush remaining material with lots of water

SECTION VII - HANDLING AND STORAGE

Storage Requirements: Store in plastic containers in cool area. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling.

Handling Precautions: Keep containers away for excessive heat.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (TYPE): NIOSH approved respirator.

Ventilation: Yes

Mechanical (General): Yes

Local Exhaust: Yes

Protective Gloves: Recommended, NIOSH approved

Eye Protection: Safety glasses

Other Protective Clothing or Equipment: Rubber apron

SECTION IX - PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point: NA

Specific Gravity (Water = 1): NA

Vapor Pressure (mm Hg): NA

Percent Volatile by Volume: 1.0%

Vapor Density (Air = 1): NA

Evaporation Rate (Butyl Acetate = 1): NA

Melting Point: ~750°C/1382°F

Solubility in Water: Moderate

Reactivity in Water: None

Appearance and Odor: Tan granular w/grey chips

SECTION X - STABILITY AND REACTIVITY

Stability: Product is stable

(Conditions to Avoid): Excessive heat

Incompatibility: None

Hazardous Decomposition Products: Boric oxide fumes.

Hazardous Polymerization: Will not occur

(Conditions to Avoid): Excessive heat

SECTION XI - TOXICOLOGICAL INFORMATION

Acute Toxicity Data

- 1) **Oral:** LD-50 (rat): Not available
- 2) **Inhalation:** LC-50 (rat): Not available
- 3) **Dermal:** LD-50 (rabbit): Not available
- 4) **Skin Irritation:** (rabbit): Not available

Chronic Toxicity Data

- 1) **Repeated Skin Application:** (rat): Not available
 - 2) **Eye Irritation:** (rabbit): Not available
-

SECTION XII - ECOLOGICAL INFORMATION

This material has not been tested for environmental effects.

SECTION XIII - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with EPA regulations

SECTION XIV- TRANSPORTATION

D.O.T. Proper Shipping Name: Non-Hazardous

Hazard Class: NA

Identification Number: NA

Packing Group: NA

Type D.O.T Label Required Information: NA

SECTION XV - REGULATORY INFORMATION

OSHA Hazardous Chemical According to 29 CFR 1910.1200: None

Carcinogenicity Classification (Components Present at 0.1% or More): Non-carcinogenic

International Agency for Research on Cancer (IARC): Not listed

American Conference of Governmental Industrial Hygienists (ACGIH): Not listed

National Toxicology Program (NTP): Not listed

Occupational Safety and Health Administration (OSHA): Not listed

None of the components of this product are listed on the U.S. toxic substances control act inventory or otherwise comply with TSCA pre-manufacture notification requirements.

SECTION XVI - OTHER INFORMATION

The labeling of this product is indicated in Section II. The full text of all abbreviations indicated by codes in the MSDS are as follows:

R25	Toxic if swallowed
R36	Irritating to eyes
R37	Irritating to respiratory system
R38	Irritating to skin
R60/61	May cause infertility/May cause harm to unborn child
R62	Possible risk of impaired fertility
S-26	In case of eye contact, rinse thoroughly and get medical attention
S-27	Take off immediately contaminated clothing
S-36/37/39	Wear suitable protective clothing, gloves, and eye/face protection
S-45	In case of accident or if feel unwell call medical advice immediately
H319	Causes serious eye irritation
H361	Suspected of damaging fertility
H303	May be harmful if swallowed
H360	May damage fertility or the unborn child
H320	Causes eye irritation
H335	May cause respiratory irritation
H350	May cause cancer
H373	May cause damage to organs through prolonged or repeated exposure

Further information:

Judgments as to the suitability of information herein or the purchaser's purposes are necessarily the purchaser's responsibility. Reasonable care has been taken in the preparation of this material, but there are NO WARRANTIES, NO REPRESENTATIONS AND NO RESPONSIBILITY AS TO THE ACCURACY OR THE SUITABILITY OF THIS INFORMATION FOR ANY PURCHASER'S USE OR FOR ANY CONSEQUENCE TO USE.
